

# Carousel 12 Plus™ Reaction Station

Simultaneously heats/cools,  
stirs and reflux's multiple  
samples under an  
inert atmosphere

*Cost effective  
personal parallel  
synthesis station for  
solution phase chemistry  
and solid supported  
reagent based  
synthesis*

Faster  
More efficient  
Easier to use  
Modular

# Carousel 12 Plus Reaction Station...

The unique patented Carousel simultaneously heats/cools, stirs and reflux's multiple samples under inert atmosphere...

Fluoropolymer insulation plate provides faster heating and energy savings of up to 36%



Avoid post Synthesis bottlenecks with the complimentary Carousel Work-Up Station.



**NEW** Carousel Stand is ideal for use between reactions, when charging tubes and for reactions that require rapid air cooling.



Easy to operate and set-up with minimal training time. No electrical or moving parts ensures maintenance free operation.



Provides 12 heated and stirred glass reactor positions, with a reaction volume of 5 to 20ml (1ml with the reduced volume tubes).

**NEW** Viewing slots allow easier viewing of tube contents. Easy to rotate round design gives access to all tubes with no need to lean into the fume cupboard.



**NEW** Heated base design improves heat transfer and provides energy savings. Maximum operating temperature 180°C (220°C for short periods).

Carousel Stirring Hotplate offers higher temperatures, more powerful stirring and digital control.





Heated directly by the stirring hotplate;  
Digital temperature control  $\pm 0.1^\circ\text{C}$ .



**NEW** Chemically resistant Easy-On fluoropolymer caps feature a quick-thread for fast attachment to the glass tubes and push-on connections to the stainless steel gas outlets.



Quick release water couplings with cut-off valves for ease of connection/removal of cooling water supply to reflux/inerting head.



Fits on a standard Carousel or IKA hotplate stirrer, so utilising existing and readily available technology.



**NEW** Unique removable fluoropolymer insulation plate helps insulate the heated base for faster heating and energy savings of up to 36%.



**NEW** removable water cooled aluminium reflux/inerting head provides efficient refluxing within individual reaction tubes.



Rare earth cross shaped stirring bars for more vigorous stirring and a deeper vortex, without jamming.



Compact size with a small bench-top footprint - easy to store.




Utilises the single rotating magnetic field of the hotplate stirrer to stir all the positions evenly and powerfully.



**NEW** Transfer the reflux/inerting head to the Cooled Carousel for cooling to  $-78^\circ\text{C}$

# Carousel features and benefits...

The improved Carousel 12 Plus Reaction Station retains all of it's popular features but with a host of new innovations making it even better..



Cost effective personal synthesis station for parallel solution phase chemistry and solid supported reagent based synthesis...

The innovative Carousel 12 Plus is quick to set-up and easy to use; providing heating/cooling, stirring and refluxing with inert gas control of 12 glass reactions tubes (1 to 20ml) simultaneously.



Whether using a single position or all 12, the Carousel is the neat and efficient way to perform your chemistry in the most productive manner. Bringing all the benefits in productivity of parallel synthesis to the individual chemist at a fraction of the cost of expensive automated systems.



## Rapid, efficient heating...

Using the Carousel Stirring Hotplate, the Carousel will simultaneously heat up to 12 reactions from ambient to 180°C (220°C for shorter periods) with an accuracy of  $\pm 0.1$ . Temperature can be controlled using the hotplate's integral digital control or alternatively a greater level of accuracy and expanded safety features are available by plugging in the Carousel Fuzzy Logic Digital Temperature Controller.

The RR98073 Carousel Temperature Controller allows you to control your reactions by block or solution temperature. Either insert the temperature probe into the block or through the Suba-Seal in the cap, directly into the reaction mixture.



## Powerful, even stirring...

The Carousel's patented design ensures powerful and equal stirring at all 12 positions. By placing magnetic stirrer bars equi-distance from the stirring hotplate's centrally located rotating magnet we ensure all positions stir at the same speed. This simple design coupled with a range of high performance stirring bars provides magnetic stirring from 50 to 1200rpm.



## Efficient refluxing...

The Carousel has an integral water cooled reflux/inerting head that provides efficient cooling to all tubes minimising solvent evaporation and loss. Water circulates inside the head creating a cooling zone in which evaporated vapours cool and condense back into the reaction, removing the need for numerous tall and fragile glass condensers. Quick-release water couplings with integral shut-off valves aid the connection/removal of the water supply and minimise leakages.

## Convenient radial gas distribution...

A simple yet effective integral radial gas distribution system in the Carousel reflux/inerting head provides an inert atmosphere for up to 12 tubes. Individual gas tight fluoropolymer Easy-On caps screw directly onto each reaction tube and combine with the radial gas distribution system to provide an inert atmosphere to every tube. Purge your Carousel using a vacuum/gas cycle at the beginning of your experiment for reactions requiring an air or moisture sensitive environment.



Faster  
More efficient  
Easier to use  
Modular





### NEW Easily view your reaction...

The Carousel 12 Plus features viewing slots in the heated base plate that allow an excellent view of your tube contents during synthesis. The vertical slots allow natural light into your reaction so you can see any changes of state, and be certain your stirring is adequate. The Carousel's circular design allows you to easily rotate the unit providing access to all the tubes without having to lean into the fume cupboard.



Chemically resistant Easy-On fluoropolymer caps feature push-on connections to the stainless steel gas outlets.

### NEW Easy-On fluoropolymer caps...

The fluoropolymer reaction caps are an essential component of the Carousel system. Manufactured from a chemically resistant fluoropolymer the caps are attached to the reaction tube using a quick-thread and feature an Easy-On push connection to the radial gas system. The caps feature an on/off valve for isolation and removal from the inert gas system. A replaceable silicone Suba-Seal septum allows the addition or removal of samples or reagents from the tube using a suitable syringe.



### Durable glass reaction tubes...

Glass reaction tubes for the Carousel are manufactured from the highest quality, heavy walled borosilicate glass. The reaction tubes are precision engineered to maximise the heat transfer from the heated based and cooled reflux head, essential in creating a parallel environment for all reactions. The reaction tubes have a a reaction volume of 5 to 20ml (1ml with the reduced volume tubes).




### NEW Insulating plate improves heating and energy efficiency...

The Carousel now features a unique fluoropolymer insulating plate which helps retain thermal energy for faster heating and energy efficiency. The 2-piece plate sits over the Carousel's heated base and acts as a barrier to heat loss; studies show the Carousel uses 36% less energy reaching the same temperatures than its predecessor. The plate also helps protect the user from temperature extremes.

#### Insulating Plate, Carousel Block & Reaction Tube Contents

10ml TEG with Carousel Stirring Hotplate set at 162°C



Central quick release inlet/outlet for vacuum and gas allow reactions under an inert atmosphere.

### NEW Removable reflux/inerting head...

The Carousel features an innovative removable reflux/inerting head that allows the removal of the head with the tubes in situ. This allows the reflux/inerting head to be easily transferred between the heated base, stand and cooling reservoir, providing the user with maximum flexibility.



### NEW Chemically resistant fluoropolymer coating...

The Carousel's fluoropolymer coating offers heightened chemical resistance, minimises the effects of chemical attack and makes the surface easier to clean and keep free from contamination.

# Carousel 12 Plus Accessories...

Stirring bars, septa, reaction tubes, caps, racks...



RR98095

## Carousel Systems

All the items you need  
in a clear easy to  
order kit - see the  
back page



RR98091 RR98096 RR98097



RR98070 RR98071 RR98075



RR98094

### PTFE magnetic stirring bars...

- **RR98091** The popular Medium Cross Shaped Rare Earth Stirring Bar contains strong rare earth magnets, it creates a deep vortex and is ideal for stirring resins and viscous samples.
- **RR98096 & RR98097** Elliptical Rare Earth Stirring Bars facilitate powerful stirring with good vortex even in the viscous samples, available in both small and large size.
- **RR98070 & RR98071** Octagonal Stirring Bars are general purpose stirring bars, available in both small and large size.
- **RR98075** Small Cross Shaped Stirring Bar create a vortex at slow speeds,
- **RR98113** Medium Cylindrical Rare Earth Stirring Bar a small powerful general purpose stirring bar.
- **RR98095** Stirring Bar Evaluation Kit contains 3 of each above 7 stirring bars styles and a selection of others, allowing you to identify the best stirring bar for your application.
- **RR98094** PTFE Stirring Bar Retriever allows you to retrieve stirring bars from reaction tubes, 350mm long.
- **RR98114** PTFE Stirring Bar Restrainer allows you to restrain your stirring bar with your tube when dispensing liquids.

### Silicone and Viton Suba-Seals...

Reaction caps feature a replaceable septa that allows the addition of reagents or removal of samples using a syringe. All septa are silicone as standard but a Viton alternative is also available.

- **RR98076** Silicone Suba-Seal for caps, pk 100
- **RR98176** Viton Suba-Seal for caps, pk 100




### Glass reaction tubes and inserts...

These 24 ø x 150mm tubes are manufactured from heavy walled borosilicate glass and feature a unique quick-thread for fast attachment to the caps. The RR91080 reaction tubes have a reaction volume of 5 to 20ml and are available in packs of 6 or 12 tubes. The RR91088 reduced volume tube has a working volume of 1 to 5ml. Reduced volume tubes are tapered to 16mm OD on the lower portion. The reduced volume tubes require use of the RR91089 aluminium insert to reduce the well size accordingly.

- **RR91080** Quick-Thread Glass Reaction Tube, pk 6
- **RR91081** Quick-Thread Glass Reaction Tube, pk 12
- **RR91088** Quick-Thread Reduced Volume Reaction Tube, pk 6
- **RR91089** Carousel 12 Plus Reduced Volume Aluminium Inserts, pk 6



Fluoropolymer caps  
and glass tubes  
provide an inert,  
gas tight seal.



### Easy-On fluoropolymer reaction caps...

Manufactured from chemically resistant fluoropolymer the caps are attached to the reaction tube using a quick thread and feature an Easy-On push connection to the radial gas system. The RR91070 caps feature a Suba-Seal septa and on/off valve for isolation and removal from the inert gas system. The RR91072 Easy-On storage cap features the quick-thread and Suba-Seal septa but with no sidearm or valve. Caps feature a replaceable Nitrile o-ring with an optional Viton replacement.

- **RR91070** Easy-On Cap with valve, pk 6
- **RR91072** Easy-On Storage Cap, pk 6



### Tube racks - zinc plated wire...

- **RR98901** Zinc Plated Wire Rack for 36 x 24mm Tubes
- **RR98902** Zinc Plated Wire Rack for 40 x 24mm Tubes
- **RR98903** Zinc Plated Wire Rack for 80 x 24mm Tubes

### Lab Marker pen...

Ideal for marking glass, metal and plastics. Writes on wet or dry surfaces.

- **RR98906** Black Lab Marker, pk 10



## Cooled Carousel 12 Plus...

Offering cost effective low temperature parallel synthesis from ambient down to -78°C...

Upgrade your Carousel to perform cooled chemistry...

The innovative Cooled Carousel 12 Plus reservoir is designed to accept the removable reflux/inerting head from the Carousel 12 Plus; allowing for the reaction tubes to be easily and rapidly transferred between heating and cooling bases.

- Simultaneously performs up to twelve cooled and stirred reactions to -78°C, with a working volume of 1ml to 20ml per tube.
- Fits directly on to a standard Carousel or IKA stirring hotplate.
- Utilises the single rotating magnetic field of the stirring hotplate to stir all the positions evenly and powerfully.
- Robust HDPE cooling reservoir is compatible with a wide range of cooling mixtures, including dry-ice/acetone for manually controlled cooling from ambient down to -78°C
- Features a unique non-drip spout and ergonomically designed handle for easy disposal of waste solvents.
- Insulated foam core maintains low temperatures for long periods, whilst protecting the stirrer from freezing. Also reduces condensation and ice formation on outer surfaces.
- HDPE lid keeps your reaction cooler for longer, minimises condensation and ice formation on your tubes (maintaining visibility of the contents) and prevents spitting from the cooling mixture.
- The robust HDPE reservoir is virtually unbreakable.



Upgrade your Carousel 12 Plus to perform cooled reactions with the new Cooled Carousel Reservoir.



## Carousel 12 Plus Stand...

The Carousel stand is designed to support the reflux/inerting head either with or without reaction tubes.

The heavy duty metal stand is fluoropolymer coated for improved chemical resistance and ease of cleaning. The integral drip tray catches any dripping condensation from tubes and gives excellent stability.

- Use between reactions.
- Use when loading tubes.
- Use for reactions that require rapid air cooling.



## Carousel 12 Plus Systems

Everything you need in convenient easy to order systems...

### Carousel 12 Plus - Basic System 1

RR91091	Carousel 12 Plus Basic System 1 x RR91030 Carousel 12 Plus Reaction Station 1 x RR91080 Quick-Thread Glass Reaction Tube, pk 6 1 x RR91081 Quick-Thread Glass Reaction Tube, pk 12 2 x RR91070 Easy-On Fluoropolymer Cap, pk 6 1 x RR98070 Octagonal Stirring Bar 13mm, pk 20 1 x RR98091 Cross Shape Stirring Bar 16.5mm RE, pk 20 1 x RR98094 PTFE Magnetic Stirring Bar Retriever 350mm 1 x RR98095 PTFE Magnetic Stirring Bar Evaluation Kit, pk 30 1 x RR98076 Silicone Suba Seals for All Caps, pk 100 1 x RR98901 Zinc Plated Wire Rack for 36 x Tubes
---------	---

### Carousel 12 Plus - Standard System 2 (with stand, stirring hotplate and temp. controller)

RR91092	Carousel 12 Plus Standard System 1 x RR91030 Carousel 12 Plus Reaction Station 1 x RR91080 Quick-Thread Glass Reaction Tube, pk 6 1 x RR91081 Quick-Thread Glass Reaction Tube, pk 12 2 x RR91070 Easy-On Fluoropolymer Cap, pk 6 1 x RR98070 Octagonal Stirring Bar 13mm, pk 20 1 x RR98091 Cross Shape Stirring Bar 16.5mm RE, pk 20 1 x RR98094 PTFE Magnetic Stirring Bar Retriever 350mm 1 x RR98095 PTFE Magnetic Stirring Bar Evaluation Kit, pk 30 1 x RR98076 Silicone Suba Seals for All Caps, pk 100 1 x RR98901 Zinc Plated Wire Rack for 36 x Tubes 1 x RR91038 Carousel 12 Plus Stand 1 x RR98072 Carousel Stirring Hotplate 230v UK Plug 1 x RR98073 Carousel Temperature Controller
---------	--

*Choose this system if you want to perform heated and cooled reactions...*

### Carousel 12 Plus - Complete System 3 (heated and cooled system)

RR91093	Carousel 12 Plus Complete System 1 x RR91030 Carousel 12 Plus Reaction Station 1 x RR91080 Quick-Thread Glass Reaction Tube, pk 6 1 x RR91081 Quick-Thread Glass Reaction Tube, pk 12 2 x RR91070 Easy-On Fluoropolymer Cap, pk 6 1 x RR98070 Octagonal Stirring Bar 13mm, pk 20 1 x RR98091 Cross Shape Stirring Bar 16.5mm RE, pk 20 1 x RR98094 PTFE Magnetic Stirring Bar Retriever 350mm 1 x RR98095 PTFE Magnetic Stirring Bar Evaluation Kit, pk 30 1 x RR98076 Silicone Suba Seals for All Caps, pk 100 1 x RR98901 Zinc Plated Wire Rack for 36 x Tubes 1 x RR91038 Carousel 12 Plus Stand 1 x RR98072 Carousel Stirring Hotplate 230v UK Plug 1 x RR98073 Carousel Temperature Controller 1 x RR91040 Carousel 12 Plus Cooling Reservoir & Lid 1 x RR99905 Digital Thermometer (-250C to +400C) & 200mm Probe 1 x RR99908 Dry Ice Scoop
---------	---

## Carousel 12 Plus

### Carousel 12 Plus Heated

RR91030	Carousel 12 Plus Reaction Station 1 x RR91032 Carousel 12 Plus Reflux/Inerting Head 1 x RR91034 Carousel 12 Plus Heating Base 1 x RR91036 Carousel 12 Plus Insulating Plates, pair
---------	---

### Carousel 12 Plus Cooled

RR91040	Carousel 12 Plus Cooling Reservoir and Lid
---------	--

### Carousel 12 Plus Components

RR91032	Carousel 12 Plus Reflux/Inerting Head
RR91034	Carousel 12 Plus Heating Base
RR91036	Carousel 12 Plus Insulating Plates, pair
RR91038	Carousel 12 Plus Stand
RR91041	Carousel 12 Plus Cooling Lid

## Carousel 12 Plus Accessories & Spare Parts

### Caps & Tubes

RR91070	Easy-On Fluoropolymer Cap, pk 6
RR91072	Easy-On Fluoropolymer Storage Cap, pk 6
RR98076	Silicone Suba-Seals for All Caps, pk 100
RR98176	Viton Suba-Seals for All Caps, pk 100
RR91080	Quick-Thread Glass Reaction Tube 24 ø x 150mm, pk 6
RR91081	Quick-Thread Glass Reaction Tube 24 ø x 150mm, pk 12
RR91088	Quick-Thread Reduced Volume Tube 24 ø x 150mm, pk 6
RR91089	Carousel 12 Plus Reduced Volume Inserts, pk 6

### PTFE Magnetic Stirring Bars

RR98070	Octagonal Stirring Bar 13mm, pk 20
RR98071	Pivot Ring Stirring Bar 12 x 6mm, pk 40
RR98075	Cross Shape Stirring Bar 10mm, pk 40
RR98091	Cross Shape Stirring Bar 16.5mm RE, pk 20
RR98096	Elliptical Stirring Bar 10mm RE, pk 40
RR98097	Elliptical Stirring Bar 15mm RE, pk 20
RR98113	Cylindrical Stirring Bar 12mm RE, pk 20
RR98094	PTFE Magnetic Stir Bar Retriever 350mm
RR98095	PTFE Magnetic Stir Bar Evaluation Kit, pk 30
RR98114	Stirring Bar Restrainer

### Stirring Hotplates

RR98072	Carousel Stirring Hotplate 230v UK Plug
RR98072/EURO	Carousel Stirring Hotplate 230v Euro Plug
RR98072/JAP	Carousel Stirring Hotplate 110v Japanese Plug
RR98072/SWISS	Carousel Stirring Hotplate 240v Swiss Plug
RR98072/USA	Carousel Stirring Hotplate 115v US Plug

### Temperature Controller

RR98073	Carousel Temperature Controller
RR98120	Spare S/Steel Sensor for Temp Controller
RR98121	Glass Coated Sensor for Temp Controller
RR98122	PT1000 Temperature Sensor 230x3mm
RR98102	1 Metre Extension Cable - Remote Temp Sensing
RR98123	ETS-D6 Temperature/pH Controller

### Racks & Other Accessories

RR98901	Zinc Plated Wire Rack for 36 x 24mm Tubes
RR98902	Zinc Plated Wire Rack for 40 x 24mm Tubes
RR98903	Zinc Plated Wire Rack for 80 x 24mm Tubes
RR98906	Black Lab Marker, pk 10

### Spare Parts & Replacement O-rings

RR98160	O-Rings for Caps - Viton 24mm, pk 100
RR98060	O-Rings for Caps - Nitrile 24mm (standard), pk 100
RR91060	Nitrile O-Rings 4mm Gas Outlet - Bottom, pk 50
RR91061	Nitrile O-Rings 3mm Gas Outlet - Top, pk 50
RR91062	Viton O-Rings 4mm Gas Outlet - Bottom, pk 50
RR91063	Viton O-Rings 3mm Gas Outlet - Top, pk 50
RR91065	Quick Release Male Body Coupling No Shut-off
RR91066	Quick Release Barbed Coupling No Shut-off
RR99062	Quick Release Barbed Coupling + Shut-off, pk 2
RR99063	90 Elbow Quick Release Barbed Coupling + Shut-off, pk 2
RR99065	Quick Release Male Body Coupling + Shut-off, pk 2

### Cooled Carousel 12 Plus Accessories

RR99905	Digital Thermometer (-250C to +400C) and 200mm Probe
RR99906	Digital Thermometer (-250C to +400C)
RR99907	200mm Temperature Probe
RR99908	Dry Ice Scoop
RR99909	Cold Temperature Apron 1060mm long, Waterproof
RR99910	Protective Face Shield
RR98024	Protective Cold Temperature Gloves
RR71505	Cooling Protection Kit
	1 x RR99909 Cold Temperature Apron 1060mm long, Waterproof
	1 x RR99910 Protective Face Shield
	1 x RR98024 Protective Cold Temperature Gloves

Visit [www.radleys.com](http://www.radleys.com) to find your local distributor

**Improving the productivity of your chemistry...**

As a dynamic organisation, Radleys are able to react to the needs of the exciting and constantly developing world of chemistry. Our specific areas of expertise are focused on apparatus and consumables for synthesis, purification, evaporation and work-up. Products that are at the cornerstone of your chemistry program.



Shire Hill, Saffron Walden,  
Essex, CB11 3AZ. United Kingdom.  
t: +44-(0)1799-513320  
f: +44-(0)1799-513283  
e: sales@radleys.co.uk